

Thank you Doctor



58, G.I.D.C. Bhatpore Estate, Magdalla-Hazira Road, SURAT. (Guj.) INDIA.

www.ayursun.net | www.ayursun.in,

www.ayursun.org | www.ayursunpharma.com,


e-mail: itis_ayursun@yahoo.com

Customer Care No.: +91-261-2916697

Cell: 7574861862







The name of **AYURSUN** itself expresses meaningful objective of providing cure in the field of **HUMANITY** with **Ayurvedic HERBS** and which are the very Essence of life.

AYURSUN PHARMA has been promoted by Prof. **Vaidyaratnam Sandip Patel (Ayurved Vachaspati-GURU)** - an experienced Ayurved puls reader All the proprietary formulations which are presented in this therapeutic guide are based on his experience and Re-Search over the years and have proven their efficacy.

A Doctor's Dream to improve quality of life through development of health-care with science of life. Ayurveda has come to reality with the launch of

AYURSUN PHARMA - An Innovation and Research Oriented Ayurvedic Concept.

Company manufactured patent, Shastrokta, Veterinary, Poultry / Pet Formulations & Food Supplement, Dietary Supplement as well as Nutraceuticals Products with Natural Herbs & Minerals.

All this formulations are manufactured under strict quality control & combine the time tested remedies of Ayurveda with modern manufacturing, Testing and Packing facilities so as to ensure the best of both Science to Human Life.

When you need...

Digestive & Carmenative

Laxative

Pergetive

Enzyme

Live tonic
(Anti Viral,
Hepatoprotective,
Immunomodulator)

For complete predictable response and rapid action with Ayursun's Re-Search formulations...

A Superior Hepto-Stimulant Overcomes all types of Hepatitis & Jaundice

ALIVE Syrup


COMPOSITION

Sarpankho (Tephrosia purpurea)500 mg	Punarnava (Boerhavia diffusa)200 mg
Bhoi Amla (Phyllanthus niruri)200 mg	Gaduchi (Tinospora cordifolia)400 mg
Bhagro (Eclipta alba)500 mg	Haritaki (Terminalia chebula)300 mg
Rakta Rohitak (Tecoma undulata)400 mg	Kalmegh (Andrographis peniculata)200 mg
Amla (Phylonthus emblica)100 mg	Preservatives & FlavoredQ.S.
Katuki (Picr orrhiza kurrow)50 mg	Excep & Sugar BaseQ.S.
Varunchhal (Crataeva nurvala)250 mg	Colour Used : CARMELINE

- ALIVE offers antiviral, anti-inflammatory and anti-oxid
- Improves biliary flow & metabolism of fat.

INDICATION

- > Acute Viral Hepatitis.
- > Fatty Liver.
- Post Hepatitis.
- Viral Hepatitis
- Drug induced hepatitis -
- > along with AKT/ART/Statins
- > Alcohol induced jaundice





Dosage :

Adult : Two teaspoonful twice a day,
Children : One teaspoonful twice a day
or as directed by the physician

Available: Bottle of 200ml & 500ml

Triple Formula

Syrup

COMPOSITION

Sarpankho (Tepjrosia Purpurea)	500 mg	Haritaki (Temir
Bhumi Amlaki (Phyllanthus Niruri)	200 mg	Kasni (Chikoriu
Bhangaro (Eclipta Alba)	500 mg	Daru Haridara
Rakta Rohitak (Amoora Rohituka)	400 mg	Vidang (Embel
Amala (Phyllanthus Embelica)	100 mg	Alio (Aloe Barb
Kutuki (Picrorhiza Kurro)	50 mg	Parpat (Fumar
Varun Chhal (Crataeva Religiosa)	250 mg	Kalmegh (And
Punarnava (Boerharvia Diffusa)	200 mg	Aquoues Base
Guduchi (Tinospora Cordifolia)	400 mg	Colour Carmos

g	Haritaki (Teminallia Chebhulla)300 mg	
g	Kasni (Chikorium Intibus)100 mg	
g	Daru Haridara (Beberis Aristata)50 mg	
g	Vidang (Embelia Ribes)50 mg	
g	Alio (Aloe Barbadensis)50 mg	
	Parpat (Fumaria Officinalis) 50 mg	
g	Kalmegh (Andrographis Paniculata) 20.0. mg	
g	Aquoues Base & Sugar q.s.	
g	Colour Carmosineq.s.	

for Liver Diseases..... LIVROSUN LIVROSUN

Drops

COMPOSITION


Sarpankho (Tepjrosia Purpurea)20 mg	
Bhoi Amla (Phyllanthus Niruri)150 mg	g
Bhangaro (Eclipta Alba)100 mg	g
Rakta Rohitak (Amoora Rohituka)100 mg	g
Amla (Phyllanthus Embelica)50 mg	
Katuki (Picrorhiza Kurro)05 mg	
Varun Chhal (Crataeva Religiosa)50 mg	
Punarnava (Boerharvia Diffusa)100 mg	g
Bibhitak (Terminalia Belerica)50 mg	
Haritaki (Terminalia Chebhula)50 mg	

Kasni (Chikorium Intibus)	70 mg
Kasni (Chikorium Intibus)	5 mg
Variyali (Foeniculum Vulgare)	.10 mg
Daru Haridra (Berberis Aristata)	40 mg
Vidang (Embelia Ribes)	.20 mg
Alio (Aloe Barbadensis)	10 mg
Parpat (Fumaria Officinalis)	.10 mg
Kalmegh (Andrographis Paniculata)	.10 mg
Aquoues Base & Sugar	Q.S.
Colour : Carmosine	Q.S.



DOSAGE

Adults- Two teaspoonful twice a day **Children-** One teaspoonful twice a day directed by the physician.





DOSAGE: 1 tablet 3 times a day or directed by the physician.

PACKING: 10X10 TABLET

Double concentration & dual action liver protector

LIVROSUN

Tablets

COMPOSITION

Bhumi Amalaki (Phyllanthus Niruri)	100 mg	Haritaki (Terminalia Chebhula)	50 mg
Sarpankho (Tephrosia Purpurea)	50 mg	Daru Haridra (Berberis Aristata)	30 mg
Bhangaro (Eclipta Alba)	50 mg	Alio (Aloe Barbadensis)	10 mg
Rakta Rohitak (Amoora Rohituka)	40 mg	Parpat (Fumaria Officinalis)	10 mg
Amala (Phylanthus Embelica)	10 mg	Kalmegh (Andrographis Panisculata)	10 mg
Varun Chhal (Creataeva Religiosa)	50 mg	Excipients	20 mg
Punarnava (Boertharvia Diffusa)	20 mg	Colour : Carmosine	q.s.
Guduchi (Tinospora Coedifolia)	50 mg		

- ALIVE is a combination of time tested and welldocumented herbs in all kind of liver disorders.
- ALIVE offers antiviral, anti-inflammatory and anti-oxidantproperties.
- **ALIVE** ensure protection of hypotocytes against varioustoxins.

INDICATION

- **Acute Viral Hepatitis.**
- Fatty Liver.
- **Post Hepatitis**
- Alcolol induced jaundice
- **Viral Hepatitis**
- Drug induced hepatitis along with AKT/ART Staris



DOSAGE: 1 tablet 3 times a day or directed by the physician. **PACKING: 10X10 TABLET**

Best choice for Anti Spasmodic & Colic pain

ASPA Tablet

COMPOSITION

Katuka (Picrorrhiza kurroa)	30	mg.
Kuberaks (Lalsalpinia bonducella)	30	mg.
Narikel Lavan (Cocos nucifera)	55	mg.
Hingvastak	.30	mg.
Shankh Bhasma	7.5	mg.
Kapur Kachari (Hedychium spicatum)	7.5	mg.
Amla (Phylanthus emblica)	.30	mg.

Pipar (Piper longum)	7.5 mg.
Katu Patol (Picrorrhiza kurroa)	7.5 mg.
Swargika	30 mg.
Suddha Kuchla (Strychnos nuxvomic	a)50 mg.
Excep	Q.S.
Colour Used: Pea Green	

- Best Ayurvedic Anti spasmodic.
- A powerful anti-spasmodic for spasms due to Indigestion.
- Useful for Hyperacidity & Gastric spasam.
- Relives hepatic congestions & useful in Biliousness, Flatulence,Colic pain & dyspepsia.

INDICATION

- Colic pain due to Indigestion
- > Flatulence
- Dyspepsia.
- > Hepatic Congestions
- Constipation



Dosage:

1 to 2 Teblets
Three times a day
or as directed by the Physician

Available at all chemists in PACKS of 60, 5x30 & 1000 Tabs.

Digestive & Carminative

Relives Gaseous Abdominal Distention

DICARTablet

COMPOSITION

Dadim (Punica granatum)80 mg. Sindhav20 mg.	Tavak (Cinnamomum zeyianicum)04 mg. Elaichi (Elattaria cardamomum)04 mg.
Sanchal60 mg.	Amchur20 mg.
Dhanyak (Coriandrum sativum)28 mg.	Nimbusar10 mg.
Jirak (Cuminum cyminum)20 mg.	Imlisar03 mg.
Krushna Jirak (Carum carvi)20 mg.	Ajwan Phool
Sunth (Zinziber officinale)20 mg.	Svarjika10 mg.
Ganthoda (Piper longum)20 mg.	Variyali (Foeniculum vuigarae)10 mg.
Pipar (Piper longum)20 mg.	Hing (Ferula alliacea)10 mg.
Kali Mirch (Piper nigrum)08 mg.	ExcepQ.S.

- DICAR Improves Digestion and Inceasses Appetite.
- Quick Relief from Abdominal discomfort & colic pain.
- DICAR Detoxicates the digestive tract.
- Safe & non-habit Forming.

INDICATION

- Loss of Appetite.
- Indigestion.
- Dyspepsia.
- Flatulence.
- Abdominal Discomfort.

DOSAGE:

Adults: 1 tab 3 times a day or as directed by the physician **Children**: 1 tab 2 times a day or as directed by the physician



Available at all chemists in PACKS of 60, 5x30 & 1000 Tabs.

A Natural anti Emetic

Travel sickness - Radiation sickness - Morning sickness

EMET Tablet

COMPOSITION

Narikel Laven (Cocos nucifera)21 mg.	Shankh Bhasma07 mg.
Kapur Kachari (Hedychium spicatum)29 mg.	Mayur Picch Bhasma03 mg.
Amla (Emblica officinalis)50 mg.	Swarjika50 mg.
Sunthi (Zinziber officinale)14 mg.	ExcepQ.S.
Patol(Trichosanthus dioica)14 mg.	Colour Used : Carmoisine

- Antisemitic and antinauseant to prevent reflux.
- Detoxicates the digestive tract.
- Helps in morning evacuation & relives gastric
 Irration.
- Decrease anxiety, stress with mild anti spasmodic actions.

INDICATION

- Vomiting associated with Gastroenteritis, Jaundice & worms Infections.
- Persistent hiccups drug induced nausea and vomiting.
- Acidity & dyspepsia.

Gynaecological:

- Nausea & vomiting of first trimester of pregnancy.
- Management of hypemisis gravidarum.

Paediatric:

- Colic Pain, Worm Infections.
- Gastro Oesophageal reflux.

Dosage:

Adults: 1 tab 3 times a day or as directed by the physician Children: 1 tab 2 times a day or as directed by the physician or as directed by the physician.



Available at all chemists in PACKS of 60, 5x30 & 1000 Tabs.

Digestive Tonic & Enzyme

PEPLINsyrup


OMPOSITION

Ajmo (Carun copticum)	400 mg	Sunth (Zinziber officinale)	200 mg
Variyali (Foeniculum vulgaris)	500 mg	Guduchi (Tinospora cordifolia)	600 mg
Jethimadh (Glycyrrhiza glabra)	300 mg	Amla (Phylanthus emblica)	200 mg
Jeeru (Cuminum cuminum)	200 mg	Preservatives & Flavored	Q.S.
Dhana (Coriandrum sativum)	200 mg	Excep & Sugar Base	Q.S.
Kapoorkachali (Hedychium spicatur	n)400 mg	Colour Used : TETRAZINE YELL	.OW

- Improves Digestion and Increases Appetite.
- Promotes Health & Energy.
- Quick Relief from Abdominal discomfort & colic pain.
- Detoxicates the digestive tract.
- Safe & non-habit Forming

INDICATION

- > Loss of Appetite
- Indigestion.
- Dyspepsia.
- > Flatulence.
- Abdominal Discomfort.





Dosage:

Adult: Two teaspoonful twice a day, **Children**: One teaspoonful twice a day or as directed by the physician.

Available at all chemists in PACKS of & 200ML Pack

Check & Pack

Relief from Acid Peptic Disorders

PAX D Syrup

COMPOSITION

Jethimadh (Glycyrrhiza glabra)1000 mg	Narikel Lavan (Cocus nucifera)50 mg
Amla (Phylonthus emblica)600 mg	Sukti Bhasma50 mg
Satawari (Asparagus racemosus)500 mg	Udumbar chal (Ficus glomerata)200 mg
Gaduchi (Tinospora cordifolia)300 mg	Preservatives & FlavoredQ.S.
Brahmi (Herpestris mooniera)200 mg	Excep & Sugar BaseQ.S.
Kapoor Kachali (Hedychium spicatum)800 mg	Colour Used : SUNSET YELLOW

- PAXID is a formula of selected Ayurvedic Herbs.
- PAXID Gives Relief in 10-20 minutes in severs symptoms 2 to 3 tabs 2 to 3 tabs at a time mixed with water.
- PAXID have a anti-spasmodic properties with antacid action.
- PAXID prevent acid secretion and acid reflux.
- Control Drug Induce gastric irritation.

INDICATION

- Peptic Ulcer, hyper acidity & heartburns.
- Gastro Cardiac symptoms.
- Duodenal Ulcer & Gastric Ulcers erosion
- Gastric irritation due to Drags.
- In pregnancy: Morning sickness, Nausea, Vomiting, Heartburns.
- In Children: Hard stood, Gripe symptoms, Colic pain & loss of appetite.

Dosage:

Adult: Two teaspoonful twice a day, **Children**: One teaspoonful twice a day or as directed by the phycisian.

Available at all chemists in PACKS of 200ML Pack

Acid Instantly

True medicine for gastritis,

Duodenal Ulcer and Gastric Ulcers.

PAXID Tablet

COMPOSITION

Piper (Piper longum)48	mg
Amla (Emblica officinalis)100	mg
Sarjkshar45	mg
Sunth (Zinziber officinale)20	mg
Katupatol (Trichosanthus dioica)10	mg
Yasthi Madhu (Glycyrrhiza glabra).10	mg
Brahmi (Cenrella assiatica)10	mg
Shatavri (Asparagus racemosus)10	mg

Guduchi (Tinospora cordifolia)		_
Narikel Lavan (Cocos nucifera)	55	mg.
Shankh Bhasma	20	mg.
Praval Bhasma	2	mg.
Kapurkachari (Hedychium spicatum)	70	mg.
Excep	(Q.S.
Colour Used: Sunset Yellow		

Dosage:

Ayursun

1 to 2 Tab 3 times a day. in severs & Acute Symptoms: 2 to 3 tablets mixed with water in a single dose. Dose can be repeated as and when required till symptoms subside. or as directed by the physician.

Available at all chemists in PACKS of 60, 5x30 & 1000 Tabs.



PAXID Granules

For instant relief from Acidity, Indigestion & Abdominal discomforts

Dosage :

2 Teaspoon full of Gramules 2 times a day with warm milk or water.

Available at all Chemists in PACKS of 100gms & 200gms Packs.

Quick action Relief from... Diarrhoea & Dysentery

DIEX Tablet

COMPOSITION

Bilva (Aegle marmelos)	75 mg.	Vidang (Embelia ribes)	15 mg.
Sunth (Zinziber officinale)	25 mg.	Hingvasak Churan	15 mg.
Pipar (Piper longum)	15 mg.	Godanti Bhasma	15 mg.
Kapur Kachari (Hedychium spicatum)	15 mg.	Shankha Bhasma	15 mg.
Kutaj Chhal (Holarrbena antidysenter)	joa)15 mg.	Excep	Q.S.
Chitrak (Plumbago zeylanica)	15 mg.	Colour Used : Indigo Carmin, Sun	set Yellow

- Stops & Checks loose motions and amoebiasis.
- Active Gastro Intestinal Functions.
- Restores G. I. Functions.



INDICATION

- > Valuable in treating Diarrhoea (Specific & non specific).
- > Dysentery (Amoebic & Bacilory Acute & Chronic).
- Mucous colitis.
- Flatulence.
- Neuro gastritis Gastro Enteritis.

DOSAGE:

1 to 2 tabs 3 times a day and as requires or as directed by the physician.



Available at all chemists in PACKS of 60, 5x30 & 1000 Tabs.

For relief from all types of intestinal infections

DIEX-B_{Tablet}

COMPOSITION

Bilva (Aegle marmelos)	75 mg.	Godnti Bhasma	15 mg.
Sunth (Zinziber officinale)	25 mg.	Shanka Bhasma	15 mg.
Pipar (Piper longum)	15 mg.	Hibraradikasai	15 mg.
Kapur Kachri (Hedychium spicatum)	15 mg.	Sanjivanivati	15 mg.
Kutaj Chhal (Holarrhena antidysenterica)	15 mg.	Excep	Q.S.
Chitrak (Plumbago zeyianica)	15 mg.	Colour Used : Carmoisine	
Hingvastak (Embelia ribes)	15 mg.		


- Relives IBS-IBD.
- Prevents Electrolytes Balance.
- Increases Intestinal immune response and tones up
- resistance to harmful organisms.
- Directly destroys the pathogenic micro-organisum.
- Helpful for healthy Intestinal flora.

INDICATION

- Relives irritable bowel syndromes.
- Specially in irritable bowel disease.
- Sprue.
- Entero Colitis.
- Chronic Intestinal infection.

DOSAGE:

1 to 2 Tablets Three times a day and as directed by the Physician.



A Laxative that works Naturally

*SODHAN Tablets

COMPOSITION

Ajmo (Carat Copticum)25mg
Limboo Satva (Citrus Acida)10mg
Jethimadha (Glycyrrhiza Glabera)5mg
Lavang (Caryophyllus Aromatics)5mg
Sunth (Zingiber Officinale)10mg
Sanchal20mg

A polyherbal laxative, which regulates bowel movements gently

THERAPEUTIC RATIONALS

SODHAN is a polyherbal laxative for constipation. Croton tiglium exerts laxative action and softens the stools. Eclipta alba regulates bowel movements. Zingiber officinale is antispasmodic, anti-emetic and anti-oxidant. Thus, SODHAN relieves the gastric discomfort and ensures smooth evacuation.

INDICATION

Occasional of HabitualConstipation



S O D HAN CHURAI

COMPOSITION

Sonamukhi (Cassia angustifolia)25 gm	Na
Esbgol Seeds (Esabgool)30 gm	Ajn
Haritaki (Tinospora cordifolia)17 gm	Sar
Sindhav (Natural potassium nitricum) 5 gm	Lim
Variyali (Foeniculum vulgarae)5 gm	Jet

Nasotar (Operculina turp	ethum).1 gm
Ajmo (Copticum ajwan)	5 gm
Sanchal	4 gm
Limboo Satva	2 gm
Jethimadha (Glycyrrhiza	glabra) 2 gm

Lavang (Caryophyllus aromaticus)1 gm Sunth (Zinziber officinale).....2 gm Excep & Preservatives.....Q.S.

- Corrects constipation gently
- Safe and well tolerated.
- Corrects chronic constipation.
- Safe for long term use without any problem of dependence.



INDICATION

- Chronic constipation.
- Constipation in pregnancy.
- Piles.



Dosage:

1 to 2 tablets at bedtime to be cautiously customized as per patient's bowel habits and severity of constipation.

Available at all chemists in PACKS of 60, 5 x 30 Tablets

Dosage:

Two teaspoon full of SODHAN CHURNA at Bed time with warm water or as directed by physician

Available at all chemists in PACKS of 100 gms

Best Pergative

PURGOSUN Tablets

COMPOSITION

Haritaki (Terminalia Chebhula)	13mg
Bibhitak (Terminalia Belerica)	13mg
Amla (Phyllanthus Embelica)	13mg
Vidang (Embelia Ribes)	13mg
Sunth (Zingiber Officinale)	13mg
Marich (Piper Naigrum)	13mg

Musta (Cyperus Rotundus)1	3mg
Jaipal (Myristica Fragrance)	6mg
Nasotar (Lpomoea Turpethum)10	0mg
Sarkara Saccharum Officinarum)3	0mg
Sarkara (Saccharum Officinarum)3	0mg

A polyherbal Pergative, which regulates bowel movements gently & be relax.

THERAPEUTIC RATIONALS

PURGOSUN is a polyherbal pergative for constipation. Croton tiglium exerts pergative action and softens the stools.



INDICATION

Relaxations from AbdominalDiscomfort & ChronicConstipation.



Free yourself from Habitual Constipation with...

SEENALAX Tablet

COMPOSITION

Nasotar (Operculina turpethum)	70 mg.	Amaltas (Cassia
Sunth (Zinziber Officinale)	30 mg.	Katuka (Picrorrhiz
Yastimadhu (Glycyrrhiza glabra)	20 mg.	Sonamukhi (Cass
√idnag (Emelia ribes)	10 mg.	Excep
Arande Mul (Ricinus communis)	20 mg.	Colour Used : Po
Haritaki (Terminalia chebula)	100 mg.	

Amaltas (Cassia fistula)40 mg.
Katuka (Picrorrhiza kurroa)20 mg.
Sonamukhi (Cassia angustifolia)40 mg.
ExcepQ.S.
Colour Used : Ponceau 4R

- Corrects constipation gently.
- Safe and well tolerated.
- Corrects chronic constipation.
- Safe for long term use without any problem of dependence.

SEENALAX TABLE T Oddicine for Habitasal Consispation

INDICATION

- Chronic constipation.
- Constipation in pregnancy.
- > Piles.



Dosage:

1 to 2 tablets at bedtime to be cautiously customized as per patient's bowel habits and severity of constipation.

Available at all chemists in PACKS of 1 x 10 Tabs.

Dosage:

1 to 2 Tablet at bed time. **Chronic constipation :** 3 Tablet at bed time. Continuously for 2 weeekthan dosage may be reduced.

or as directed by the physician.

Avai
PAC

Herbal Cough Cleanser & Reliever Regulate Respiratory Disorders

With Suvarna Vasant Malti


Tablet

COMPOSITION

Sitopaladi Churan	40 mg.
Tribhuvan Kirti Ras	10 mg.
Vasaka (Adhatoda vasika)	25 mg.
Haridra (Curcuma longa)	10 mg.
Bibhitak (Terminalia belerica) 25 mg.
Yasti Madhu (Glycyrrhiza gla	abra) 50 mg.
Apamarg (Achyranthus aspe	era)10 mg.

Tankan Khar05 mg.
Arka Lavan20 mg.
Kanthkari Lavan20 mg.
Pipar (Piper Longum)15 mg.
Suvarna Vasant Malti0.5 mg.
ExcepQ.S.
Colour Used : Pea Green

- Very useful in Chronic bed-ridden patients and children.
- No drowsiness
- RESPID can be given to infants and pregnant Ladies.
- Increase Vital Capacity & Relives Breathlessness.
- Decreases Singer's Smoker's Speaker's cough.
- Expel the viscous cough.



Application:

In Acute & Severe Cough: 2 tabs 2 times a day for one week. In Chronic & Resistant Cough: 2 tabs 3 times a day for 3 to 4 weeks and Then 1 tab 3 times a day till satisfactory Improvement. In Asthma: 2 tabs RESPID + 1 tab DAA 3 times a day till satisfactory Improvement. or as directed by the physician.



Available at all chemists in PACKS of 60, 5x30 & 1000 Tabs.

RESPIDSyrup

COMPOSITION

Yastimadhu (Glycirrhiza glabra)1000 mg	Pipermit phool1.5 mg
Vasaka (Adhatoda vasoica)800 mg	Phudina phool (Mehtha selvestis).1.5 mg
Kantakari (Solanum carpum)600 mg	Kapoor (Camphor)1.0 mg
Haridra (Curcuma longa)400 mg	MentholQ.S.
Puskarmool (Inule recemosa)200 mg	Preservatives & FlavourQ.S.
Sunthi (Zinziber officinale)100 mg	Excep & Sugar BaseQ.S.
Bibhitaki (Termanalia belerica)200 mg	Colour Used : PONCEAU-4R


INDICATION

- URT Infections-Asociated with Bronchitis. Bronchopneumonia, Asthma, T.B. & Post -
- Influenza Cough. Tropical Eosinophilia & All allergic Cough (Chronic)
- Minimise Symptoms of Common cold, sore throat, Rhinitis Laryngitis, Pharyngitis, Tonsillitis. Sinusitis etc.
- Chronic Respiratory and allied disease (C.R.D.). In Children: Cough due to URTI, Asthma, Bronchitis, Allergic Bronchitis, Child hood T.B., whooping Cough.

Dosage:

Adult: Two teaspoonful twice a day, **Children**: One teaspoonful twice a day or as directed by the physician.





Available at all chemists in PACKS of 100ml & 200ml Packs.

Free your life from Tablet

COMPOSITION

Arogya Vardhini Vati37.50 mg.	Pipar (Piper Longum)100 mg.
Guduchi Ext (Alium Sativam)75 mg.	ExcepQ.s
Kali Mirch (Piper Nigrum)50 mg.	Colour Used : Ponceau-4R

- Immuno modular Action Modulate the immune system.
- Effective in all type of Allergic condition.
- Antiallergic and antipruritic.
- Drug with Antihistaminic Action.





In Adult: 1 to 2 tabs 3 times a day In Children: 1 tab 2 times a day

Note: DAA Tablet should be Continued for 7 day after the symptoms subside

In Chrionic Asthma

slackly of Allergy

COMPOSITION

Harde (Terminalia Chebula)5	n i	
Baheda (Terminalia Belerica)5 Amla (Phyllanthus Embelica)5 Katuki (Picrorhiza Kurroa)2	0 ı 0 ı	mg mg
Kariyatu (Swertia Chirata)	0 ו	mg
Neemchhal (Azadirachta Indica)6	0 ו	mg

Sharapunkha (Tephrosia Purpurea)	60 mg
Sariva (Hemidesmus Indicus)	20 mg
Majith (Rubia Cordifolia)	20 mg
Haridra (Curcuma Longa)	40 mg
Guduchi (Tinospora Cordifolia)	1200 mg
Mari (Piper Naigrum)	450 mg
Lindipiper (Piper Longum)	250 mg
Aqueous Base & Sugar	Q.S
Color : Ponceau 4R	Q.S





INDICATION

- > Chronic Urticaria.
- Allergic Rhinitis Allergic Asthma Allergic Bronchitis.
- Allergic skin Reaction, Skin Reaction (Itching) to foods and drugs.
- Atopic Eczema and Allergic Dermetosis.
- Prickly heat (in Summer).

Dosage:

Two teaspoonful twice a day, Children: One teaspoonful twice a day or as directed by the physician.




Available at all chemists in

Ayursun's Re-Search Medicines for Male & Female

Menstrual disorders

Infertility

Vigor & Vitality





Medicine for Mestrual Disorders Amenorrhoea & Oligo Menorrhea

Make your life Happy with...

MOLIG Tablet

Eloiobi (Elottoria, cordomomum) 2 mg	Kanurkashli (Hadvahium aniastum) 40 mg
Elaichi (Elattaria cardamomum)2 mg.	Kapurkachli (Hedychium spicatum)40 mg.
Kali Mirch (Piper nigrum)10 mg.	Process in cow urineQ.S.
Tankan Khar10 mg.	ExcepQ.S.
Haritaki (Terminalia chebula)80 mg.	Colour Used : Pea Green
Elaichi Oil2 mg.	

- Non-Hormonal and Non-Toxic.
- Helpful to Delayed Menarche.
- Safe & No Side Effects.

INDICATIONS

- > Primary Amenorrhea without evidence of any **Congenital & Anatomical Abnormality**
- > Amenorrhea
- > Secondary Amenorrhoea
- Oligomenorrhea > Irregular Scanty Menses
- Hypomenorrhoea > Dealyed menarce

DOSAGE:

1-2 Tablet 3 time a day till **Menstruation Sets in (3-4month).** Discontinue when pragency is suspected. or as directed by the physician.



A true medicine for disturbed Spermatognesis & Oligospermia

Think maximize desire & Achive Maximize performace

ASEP Tablet

COMPOSITION

14 1 11 (5)
Kamboji (Breynia patens)50 mg.
Chandan (Santacum album)04 mg.
Laung (Syzygium aromaticus)08 mg.
Suddha Kuchala (Strychnos nuxvomica)30 mg.
Chinikabab (Cubeba piper)20 mg.
Abrak Bhasma (Mica)06 mg.
Bang Bhasma (Stannum)08 mg.
Suvarna Maksik Bhasma (Colco pyrite)06 mg.
ExcepQ.S.
Colour Used : Brillient Blue


- A Pathologically and clinically proved true spermatogenic- drug in Male Infertility.
- Safe and non-hormonal.
- Tones up neuro-glendular and neuro Muscular system.
- Improves Metabolism & Restores normal vigour and vitality.
- Improves quality and quantity of seman, sperm count, motility, normality, strength & stamina.

INDICATION

- An effective Treatment for FATIGUE (Nervous, Muscular, Sexual)
- Sperm count can be Improve from 2 million/ml
- > to 60 million/ml also mobility from 8% to 55%.
- Loss of Libido (drug induce even more Alcoholic).

DOSAGE:

1 to 2 tabs 3 times a day for 4 to 6 months, Then 1 tab 2 times for 3 months more or as directed by the physician.



Available at all chemists in PACKS of 60, 5x30 & 1000 Tabs.

A Coagulant that works Naturally **CCOAG Tablet

COMPOSITION

Suddha Sphatika (Alum)......115 mg. Palas (Butea monosperma)....115 mg. Lodhar (Symplocos racemosa)..45 mg.

Excep......Q.S.
Colour Used : Indigo Carmine - Sunset Yellow

- COAG exerts its comprehensive, hemostatic actions in all condition & shortens the duratin of bleeding as well as the volume of blood loss.
- COAG Safely Controls bleeding during condition of blood loss.
- Management of Post Partum bleeding.
- O COAG can be safely recommended in all age.
- Non-toxic, non-hormonal, No contraindications.
- Improves the strength and tone of the capillaries.
- No extra care is needed for DUB.

INDICATION

- Dysfunctional Uterine Bleeding
- Metrorrhagia & Mrnorrhagia
- Menopausal Bleeding
- Heamorrhoids during pregnancy
- Post Abortion, Puerperal and D & C Bleeding
- Also helpful in bleeding after loop (IUCD)
- Pre-Operative Prophylaxis in minor surgery
- Heamatemesis & Heamoptysis
- ▶ Bleeding Gums
- Piles
- Epistaxis
- Traumatic Bleeding

Dosage:

In Chronic Condition: 2 tabs 3 times a day. In Acute condition: 1 to 2 tab 3 times a day. or as directed by the physician.





To Enhance Lactation

ELACTTablet

COMPOSITION

Jeevanti (Leptadania reticulata)	.90 mg.	Kamboji (Breynia patens)	90 mg.
Shatavri (Asparagus racemosus)	.40 mg.	Excep	Q.S.
Vidang (Emblia ribes)	.20 mg.	Colour Used : Carmoisine)
Suva (Peucedanum graveolens)	.40 mg.		

- ELACT not only Stimulates, Stabilises, Improves the quality and quantity of Breast milk.
- Galacto Kinesis (Discharge of milk).
- Lactogenic (Stimulation of lactation).
- Galacto poiesis (Discharge of milk).
- Lactation is stimulated with in 1-2 days in most of cases.
- Noticeable improvement in the Quantity & Quality of milk
- observed in 5-7 day of administration.
- In Habitual & Threatened abortion.

INDICATION

- > Lactation problem.
- > Premature Birth.
- Habitual and threatened abortion.
- > To Ensure FTND & FTLB Throughout pregnancy.
- > Anti oxytocin action.

Dosage:

1 to 2 tabs 3 times a day for 2 to 3 months and even during menses or as directed by the physician.



Available at all chemists in PACKS of 60, 5x30 & 1000 Tabs

Complex medicine for Gynecological Disorders

A safe formula for menstrual health

G-PLEX Tablet

COMPOSITION

Amla (Phylanthus emblica)	60 mg.	Kumari Ext. (Aleo Vera)	20 mg.
Haritaki (Terminalia chebula)	40 mg.	Suddha Gairik	60 mg.
Shatavri (Asparagus racemosus)	40 mg.	Sanchal	20 mg.
Vasaka (Adhatoda vasica)	20 mg.	Godanti Bhasma	80 mg.
Hirabol (Commiphora myrrha)	20 mg.	Excep	Q.S.
Chandra Prabha Vati	20 mg.	COLOUR USED : ERYTROSINE	

- G-plex with its comprehensive action.
- G-plex regulates menstrual cycles.
- Helps conception.
- G-plex can be given advantageously to counter side effects after discontinuation of contraceptive pills.

INDICATION

- Irregular and Scanty Menses.
- Delayed puberty.
- Supportive Treatment for Oligomenorrhoea,
- Dysfunctional uterine bleeding.
- > Dysmenorrhoea.
- To Counteract side effects of Contraceptive pills.
- Infertility Primary or secondary; Sub-fertility.



Dosage:

1 to 2 Tablets Three times a day or as directed by the Physician.

To Increase Vigor CAJRAJOII

COMPOSITION

KSHIRBALA OIL (Sida cordifolia - avarthi	i)5%
LAVANG OIL (Caryophyllas aromaticus).	1%
TAJ OIL (Cinnamum zeylanicum)	1%
TIL OIL (Sisamum indicum)	93%
KAPUR (Cinnumomum camphura)	2%
ASHWAGANDHA (Withania somnifera)	5%
SATAWARI (Asparagus racemosus)	5%
JAYFAL (Myristica fragrans)	1%
AKALKARO (Anacyclus pyrethrum)0	.10%



Dosage:

OIL : Direction For Usage : Used 10-15 drop to massaging by light hand at morning & bed time



Available at all chemists in PACKS of OIL 15 ml

& Enhance Erection *GAJRAJ Capsule

COMPOSITION


ASHWAGANDHA (Withania somnifera).120MG.
KRUSNA MUSLI (Curculigo crchioides)70MG.
VIDARI KAND (Pueraria tuberosa) 20MG.
KUNCHA BEEJ (Mucuna pruriens)50MG.
GOKSHUR (Tribulus terrestries)12MG.
VARDHARA BEEJ (Argureia speciosa)40MG.
JAYPHAL (Myristica fragrans)08MG.
LAUNG (Carrocphylius aromaticus)08MG.
ABRAK BHASMA (Mica)06MG.
BANG BHASMA (Oxide of stannum)08MG.
SUVARNA BHASMA (Aaurum)01MG.
RAS SINDUR (Red Sulphide of Mercury)05MG.
SUDDHA SILAJIT (Asphaltum)40MG.
SATAWARI (Asparagus racemosus)100MG.
EXCEPQ.S

Lack of libodo, frigidity in complete erection oligo spermia,

Premature ejculation,

Impotency due to diabetis

- Disorders of stress origin.
- Provides Complete erection and helpful to libido.
- Provides mental and Physical ability.
- Postpones ejaculation by Sustaining vitality.



CAPSULE 1x10 Capsules.

CAPSULE: One Capsule two times a day or as directed by physician

Get relief from Ovulatory Disease


OVEE Tablet

COMPOSITION

·	,
Ashok Chhal (Saraca indica)	75 mg.
Lodhar (Symplocos racemosa)	60 mg.
Amla (Emblica officinalis)	60 mg.
Gambhari (Gamelina arboria)	30 mg.
Shatavri (Asparagus racemosus)	.30 mg.
Shalmali Mul (Salmalia malabarica).	.30 mg.
Guduchi (Tinospora cordifolia)	30 mg.
Punarnava (Bodrhavia diffusa)	30 mg.
Gokshur (Tribulus terrestrias)	30 mg.

Jeevanti (Leptadania raticulata)15 mg.
Devdaru (Cedrus deodara)30 mg.
Dhatki Flower (Woodfordia fruticusa)30 mg.
Rasna (Pluchea lanceolata)15 mg.
Abrak Bhasma (Mica)7.5 mg.
Bang Bhasma (Stamum)7.5 mg.
Praval Bhasma)15 mg.
ExcepQ.S.
Colour Used- Ponceau 4R

- Stimulates and Establishes : normal ovulatory menstrual cycles.
- Ensure : Proper quality and quantity of Cervical mucous.
- Enhances : Receptivity for conception up to 50% to 60%.
- No danger of: Hyper stimulation of ovaries as in the case with Clomiphenes and Gonadotropin.



Dosage:

1 to 2 Tablets Three times a day or as directed by the Physician.



Menstrual Cycles Problems

OVEE syrup

COMPOSITION

EACH 10 ML CONTAINS : Derived extracts of :

Ashok Chhal (Saraca Indica)	400 mg		
Lodhar (Symplocos Racemosa)	200 mg	Jivanti (Leptadenia Reticulata)	500 mg
Amla (Phyllanthus Embelica)	400 mg	Devdar (Cedrus Deodara)	200 mg
Gambhari (Gmelina Arborea)	100 mg	Dhatki Pushpa (Woodfordia Floribunda)	200 mg
Shatavari (Asperagus Recomosus)	400 mg	Rasna Mul (Vanda Roxbudhii)	100 mg
Mocharas (Salmalia Malabarica)	50 mg	Abharak Bhasma	25 mg
Guduchi (Tinospora Cordifolia)	300 mg	Bang Bhasma	25 mg
Punarnava (Boerharvia Diffusa)	100 mg	Aquoues Base	Q.S.
Gokharu (Tribus Terrestris)	100 mg	Color : Fast Green FCF	Q.S.

INDICATION

- Infertility Primary or secondary; Sub-fertility.
- To enhance ovulation.
- > PCOS

Dosage:

Adult: Two teaspoonful twice a day, **Children**: One teaspoonful twice a day or as directed by the phycisian.



Available at all chemists in PACKS of 200ML Pack

Effective Medicine for

SARACATablet

COMPOSITION

Lodhar (Symplocos racemosa)15 mg.	Godanti Bhasma10 mg.
Hirabole (Commiphora myrrha)20 mg.	Haritaki (Terminalia chebula)10 mg.
Dhavdi Flower10 mg.	Chandra Prabha Vati50 mg.
Vasaka (Adhatoda vasaka)10 mg.	Ashok (Saraca Indica)20 mg.
Daruharidra (Berberis aristata)08 mg.	ExcepQ.S.
Suddha Gairik45 mg.	Colour Used: Tetrazine

- Original Research formula which removes the root causes of leucorrhoea and associated symptoms.
- Non-Toxic. No irritation, nausea or vomiting.
- Safe even during pregnancy & Restorative after delivery.
- Improves the uterine circulation, Tones up and regulates functions of G. U. T.



Dosage:

1 to 2 Tablets Three times a day and as directed by the Physician.

As supportive therapy for quicker healing of cervical erosions after cauterisation :

2 tablets twice a day till satisfactory improvement.

As Restorative after Delivery : 2 tablets twice a day for 6 weeks. or as directed by the physician.



Available at all chemists in PACKS of 60, 5x30 & 1000 Tabs.

Leucorrhoea with Backache

SARACASyrup

COMPOSITION

· · · · · · · · · · · · · · · · · · ·			
Lodhar (Symplocos racemosa)1	5 mg.	Godanti Bhasma	.10 mg.
Hirabole (Commiphora myrrha)2	0 mg.	Haritaki (Terminalia chebula).	.10 mg.
Dhavdi Flower1	0 mg.	Chandra Prabha Vati	.50 mg.
Vasaka (Adhatoda vasaka)1	0 mg.	Ashok (Saraca Indica)	20 mg.
Daruharidra (Berberis aristata)0	8 mg.	Excep	Q.S.
Suddha Gairik4	5 mg.	Colour Used: Tetrazine	

INDICATION

- Leucorrhoea with constant Back-ache, Pelvic Inflammatory diseases.
- Associated Sterility. Menstrual irregularities.

 Dysmenorrhoea.
- Endometritis, Cervicitis, Pruritis Vulvae, Dysuria.
- Leucorrhoea with constant Back-ache,
 Pelvic Inflammatory. diseases.
- Associated Sterility. Menstrual irregularities.
 Dysmenorrhoea.



Dosage:

Adult: Two teaspoonful twice a day, **Children**: One teaspoonful twice a day or as directed by the phycisian.

Available at all chemists in PACKS of 200ML Pack

An Effective Uterine Tonic * UTIS Syrup

COMPOSITION

Jivanti (Leptadania racticulata)400	mg
Gokharu (Tribulas terrestrics)300	mg
Chitrak (Plumbago zeylanica) 200	mg
Lodhar (Symphlocus racemosa)400	mg
Mayufal (Cyperus rotundus)200	mg
Ushir (Vetinia / zizanioides)200	mg
Sunth (Zinziber officinale)100	mg
Satavari (Asparagus racemosus).400	mg
Asokhchhal (Saraca indica)400	mg
	_

- Safe and Economic Drug for long term use.
- Tones up G.U.T. system, Protect Urinary Tract from deep infections.
- Astringent, Diuretic, Healing, Cooling action.
- Corrects Neuro Muscular Bladder disturbances.
- Given a power for well being and improves general health & increase body resistance.

INDICATION

- Burning & Pain full Micturition.
- Urethritis, Phyllitis, Cystalluria, Phosphaturai, Oxaluria, Cystitis, Prostatitis.
- In Females: Chronic Vaginitis after instrumentation, cervical erosion remarkable relife in chronic condition with in 2-4 days.

Dosage:

Adult : Two teaspoonful twice a day,

Children : One teaspoonful twice a day

or as directed by the physician.



Ayursun

Available at all chemists in PACKS of 200ML Pack

Gives you peace of mind from Genito - Urinary Tract Infections RUTIS Tablet

COMPOSITION


- UTIS is formulate for the disorders of Genito
 urinary Tract Infections (Specific, non-Specific)
- UTIS can be given advantageously as an adjuvant to specific Antibiotic treatment.
- Best unterine Tonic.

INDICATION

- Burning & Pain full Micturition.
- Urethritis, Phyllitis, Cystalluria, Phosphaturai,Oxaluria, Cystitis, Prostatitis.
- In Females: Chronic Vaginitis after instrumentation, cervical erosion remarkable relife in chronic condition with in 2-4 days.

Dosage:

1 to 2 Tablets 3 Times a day for 1 to 3 weeks
In Urinary Calculus: 1 tab UTIS + 1 tab DISCAL
3 times a day till satisfactory improvement.
or as directed by the physician.





Medicine to Dissolve the urinary calculi

DISCAL Tablet

COMPOSITION

Akkar Kara (Anacyclus pyrethrum).	20	mg.
Gokshur (Tribulus terrestries)	50	mg.
Pasanbhed (Bergenia ligulata)	.50	mg.
Arende Mul (Ricinus communis)	20	mg.
Pipar (Piper longum)		
Yasti Madhu (Glycyrrhiza glabra)		
Nirgundi (Vitex nirgunda)		
Laung (Carryophyllus aromaticus)	05	mg.
Elaichi (Elattaria cardamomum)	.05	mg.
Harde (Terminelia chebula)	.10	mg.
Daruharidra (Berberis asiatica)	20	mg.

Dhamaso (Fagonia arabica)10 mg.	
Dhanyak (Coriendrum sativum)10 mg.	
Indrajav (Holarrhena antidysenterica).20 mg.	
Kulthi30 mg.	
Til10 mg.	
Nasotar (Operculina turpethum)10 mg.	
Parpat (Fumaria officinialis)10 mg.	
Suddha Silajit20 mg.	
Javkhar50 mg.	
ExcepQ.S.	
Colour Used · Sunset Yellow	

- DISCAL dissolve calculi and expels through diuresis.
- DISCAL Restores Crystalloids colloid balance.
- DISCAL expels Calculi and prevents recurrence.


INDICATION

- ➤ Urinary stones, Urinary tract infections.
- Acute renal colic.
- Urolithiasis of all varieties.
- Improve kidneys function and even for Kidney Stones.
- > Supportive treatment for gall-stone.

Dosage:

In sever condition - 2 tabs 3 to 4 times a day as a curative 1 to 2 tab BID or TID for 4 to 6 months or as directed by the physician.





Available at all chemists in PACKS of 60, 5x30 & 1000 Tabs.

Say Goodbye to Low BP with...

DUCETablet

COMPOSITION

Suddha Makardawaj	•	Karpad Bhasma	_
Suddha Gugul (Boswelia floribunda))30 mg.	Suddha Silajit (Asphalt)	14 mg.
Ashwagandha (Withenia somnifera).	160 mg.	Trikatu	80 mg.
Arjun Chhal (Nelea tomentoza)	40 mg.	Excep	Q.S.
Sindhav (Rock salt)	20 mg.	Colour Used: Pea Green	

- Management of Low Blood pressure.
- Low Blood pressure due to psychosomatic disorders (anxiety-neurosis)
- Specific for low Blood pressure of any origin.

INDICATION

Low Blood pressure due toMental & Physical Exhaustion.



Josage :

1 to 2 Tablets 2 times a day after meals with milk or as directed by physician

Ayurvedic Re-Search Formula for Healthy Health

Healthy Health MALTOSUN MALTAVLEH

COMPOSITION

Amla	(Phyllanthus Embelica)	35%	Chitrak Mool	(Plumbago Zeylanica)	2%
Jethimadh	(Glycyrrhiza Glabera)	10%	Sindhav	-	1%
Sunth	(Zingiber Officinale)	4%	Elaichi	(Elettaria Cardamomum)	1%
Mari	(Piper Naigrum)	1%	Ajmo	(Carum Copticum)	2%
Piper	(Piper Naigrum)	1%	Mandur Bhasma	-	5%
Satavari	(Asperagus Recomosus)	4%	Madh	-	5%
Guduchi	(Tinospora Cordifolia)	4%	Sakar	(Saccharum Officinarum)	15%
Vidarikand	(Iypomiya Digiteta)	2%			
Ashwagandha	(Withania Somnifera)	8%			

- **MALTOSUN** is herbomineral potent antioxidant.
- Potent antioxidants.
- Adaptogenic and immunity boosters.
- Enhance the bioavailability of antioxidants.
- Helps to control inflammatory responses in the body.
- Sustained source of energy.
- Reinforces resistance against infections and ensures rapid recovery and cuts short convalescence period after a long illness or surgery.

INDICATION

- Chronic and recurrent infections
- Malaise and fatigue
- Convalescence
- Co-prescription with antibiotic, anti

-malaria, and TB drugs and steroids

DOSAGE: Two tea spoonful twice a day or as directed by the Physician PACKING: 400 gm





A Secret for Female Health & Happiness

SATVAGANDHA GRANULES

COMPOSITION

Shatavri (Asparagus racemosus)02 gm.	Sunth (Zinziber officinale)0.25 gm.
Ashwagandha (Withenia somnifera)02 gm.	Sugar Base & FlavourQ.S.
Kaucha (Mucuna pruriens)02 gm.	Colour Used : Carmosine
Vidari Kand (Pueraria tuberosa)1.75 gm.	

- General health promoters.
- Safe for prolong use in pregnancy.
- As a galactopoietics for Stimulating Lactation.
- Also helpful for development of Breast.
- Best for pre & Post natal.
- **Nutritive Tonic.**
- Best Ayurvedic formula for the care of motherhood.

INDICATION

- Female tonic.
- General debility & weakness.
- Muscular & Nervous Debility.
- In Male: Impotency & Libido as a sportive tonic treatment.

2 Teaspoon full of Gramules 2 times a day with warm milk. or as directed by the physician.





Boost up Immunity &

Protect Immune Systems with

Ayursum's Re-Search Formula



A revolutionary Anti Cancer Drug

CARCIN Tables

COMPOSITION

Guduchi Ext. (Tinospora cordifolia)	Rakta Rohitak (Tecoma undulata)10 mg. Praval Pisti
-------------------------------------	--

- Well tolerated and effective drugs for prolonged use without adverse effect on Bone Marrow.
- No Depression is noticed and neither WBC count nor RBC count nor platelet count is affected adversely in any way.
- No Side effects on GI-TRACT, No Immun suppression, No Renal toxicities even on, No skin and nail discolouration.
- It can supplement other anticancer remedy with synergetic effect.
- CARCIN attacks only the cancer cells without doing any harm to the other body tissues.
- CARCIN Shows clinical Improvement within a short period of 4 weeks and gives feeling of general well being to the patient

INDICATION

- An Ayurvedic Treatment for CANCER & MALIGNANCY
- Acute and chronic Leukemia
- Ca. Cervix and Ca. Prostate
- Carcinoma of head and neck
- Soft tissues sarcomas Lymphomas & Neoroblastoma.



late a SC 4001 2000 Certified Common



Dosage:

1 to 2 Tablets Three times a day or as directed by the Physician.

To Enhance Immunity

COMPOSITION

Each Hard Geletine Capsule Contains:

Gau Piyush (Cow First Milk Powder) 400 mg Ashwagandha (Withania Somnifera) 50 mg Q.S. Excipients

- Strengthens the immune systems and prevents recurrence of infections.
- Reduces the duration of antibiotic therapy when co-prescribed.
- Ensures faster recovery from infections.

INDICATION

- Viral infection
- UTI
- Pyrexia of unknown origin
- Skin and soft tissue infections
- **ENT** infections
- To boost up immunity in all type of immun suppressive disease.

1 to 2 Capsule 3 times a day after meals with milk or as directed by physician





Available at all chemists in PACKS of 10x10 Caps.

Oral Immun Support

IMMUNOSUNCapsule IMMUNOSUN GT

COMPOSITION

Tablet

Each Uncoated tablet contain:

Goat Milk Powder 450 mg

Q.S.

Excipients

Re-Search GOAT Milk Tablet

- Strengthens the immune systems and prevents recurrence of infections.
- Reduces the duration of antibiotic therapy when co-prescribed.
- Ensures faster recovery from infections.

INDICATION

- > Viral infection
- RTI
- UTI
- Pyrexia of unknown origin
- Skin and soft tissue infections
- > ENT infections
- To boost up immunity in all type of immun suppressive disease.



& Specialty for Malignancy and HIV

1 to 2 Tablets 3 times a day after meals with milk or as directed by physician

Available at all chemists in PACKS of 10x10 Caps.

KEEP BABIES HEALTHY AND HAPPY.....

BABYSUN

Drops

COMPOSITION

Vidang (Embelia Ribes)	Ativish (Aconitum Heterophylum)
Jaiphal (Myristica Fragrance)100 mg	·
Satpuspa (Peucedanum Graveolens)600 mg	





Dosage:

Drops:Infants Up to 1 month: 5 to 10 drops three times daily. 1 month to 6 months: 10 to 20 drops three times daily.

Liquid: Infants Up to 1 month: ½ teaspoon three times daily.
1 month to 6 months: 1 teaspoon three times daily.
6 month to 2 years: 2 teaspoonfuls three times daily.
2 year and above: 2 to 3 teaspoonfuls three times daily.

Available at all chemists in PACKS of 60ml Packs.

BABYSUN

Syrup

COMPOSITION

Vidang (Embelia Ribes)200 mg	Satpuspa (Peucedanum Graveolens)600 mg
Jethimadh (Glycyrrhiza Glabera)400 mg	Lavag (Caryophyllus Aromatics)100 mg
Shatavri (Asperagus Rocomosus)1500 mg	Ativish (Aconitum Heterophylum)10 mg
Nagarmoth (Cyperus Rotundus)600 mg	Taj (Cinnamomum Zeylanicum)50 mg
Elachi (Eletaria Cardamom)250 mg	Kapur Kachari (Hedychium Spicatum)200 mg
Jaiphal (Myristrica Fragrance)100 mg	Aquoues Base & Flavourq.s.

- BABYSUN has carminative and digestive properties, which relieve symptoms of colic in gastrointestinal disorders in infants and children.
- BABYSUN help infants and children gain weight adequately.
- BABYSUN helps restore the normal physiological function of the digestive tract, acts as an appetizer, and ensures health and ell bring.

INDICATION

- As a daily health supplements to prevent common digestive complaints of infants and children, and to promote healthy growth.
- For the treatment of relief of digestive complaints in infants and children.
- Special precautions: None. BABYSUN is very safe for infants and children.

Dosage:

One teaspoonful twice a day or as directed by the physician.

Available at all chemists in PACKS of 200ml Packs.

BABYSUN

BABYSUN

GRANULES

COMPOSITION

Vidang (Embelia ribes)02 gm. Lavang (Eugenia caryophyulanta)0.05 gm.
Shatavri (Asparagus racemosus)1.5 gm. Ati Vish (aconitum Heterophyllum)0.75 gm.
Nagar Moth (Cyperus scariosus)0.6 gm. Taj(cinnamomum Zeyranicum)0.20 gm.
Elaichi (Elattaria cardamomum)0.25 gm.Karpur Kachari(hedychium Spicatum)01 gm.
Jaiphal (Myristica frugranus)Q.S.
Satpuspa (Forniculam vulgenis)0.6 gm. Colour Used : Carmosine





Dosage :

One teaspoonful twice a day or as directed by the physician.

Available at all chemists in PACKS of 100gm Packs.